03040205-09

(Black River)

General Description

Watershed 03040205-09 (formerly 03040205-150, 180) is located in Williamsburg and Georgetown Counties and consists primarily of the lower *Black River* and its tributaries from the crossing of SC Hwy 30 to its confluence with the Great Pee Dee River. The watershed occupies 232,687 acres of the Lower Coastal Plain and Coastal Zone regions of South Carolina. Land use/land cover in the watershed includes: 40.7% forested land, 28.0% forested wetland, 17.4% agricultural land, 7.5% scrub/shrub land, 3.4% urban land, 1.7% nonforested wetland, 1.2% water, and 0.1% barren land.

This section of the Black River accepts drainage from its upper reaches, together with Spring Branch, Spring Gully, Jumping Gully, Thompson Swamp, Birch Creek (Dobson Branch, Dobson Bay), and Gin Branch. Flat Swamp (Camp Pond Bay, Ricefield Bay, Alligator Bay, Log Branch) flows into Johnsons Swamp (Oakridge Bay, Mill Branch, Murray Swamp, Sportsman Pond), which in turn flows into Horse Pen Swamp before draining into the Black River downstream of Gin Branch. Further downstream, Big Dam Swamp (Roper Branch, Sleeper Branch, Cedar Patch Branch, Brightman Swamp) enters the river followed by Lester Creek, Puncheon Creek, and Indian Hut Swamp. Mill Grove Creek enters the river next followed by Lanes Creek, Choppee Creek (Stony Run Creek, Machine Bay), Boheck Creek, and Post Foot Branch. Carvers Bay drains into Big Branch (Millpond Branch), then flows into Carvers Bay Creek, which merges with Fardick Creek to form Peters Creek (Simmons Creek, Guinea Creek, Black Swamp) and drains into the river downstream of Post Foot Branch. Sixmile Creek (Gapway Bay, Greens Creek, Prince Creek, Crooked Branch, Inland Branch) enters the river next followed by Cottage Creek and Longwater Bay. There are a total of 354.3 stream miles, 213.8 acres of lake waters, and 763.3 acres of estuarine areas in this watershed. The Black River, upstream of the crossing of U.S. Hwy. 701 (just upstream of Sixmile Creek), is classified FW* (Dissolved Oxygen not less than 4.0 mg/l and pH between 5.0 and 8.5) and its tributaries are classified FW. Downstream of the crossing, the Black River and its tributaries are classified SA. The Black River drains into the Great Pee Dee River.

Surface Water Quality

Station #	<u>Type</u>	<u>Class</u>	<u>Description</u>
PD-359	W/INT	FW*	BLACK RIVER AT S-45-30
PD-698	BIO	FW	BURCH CREEK AT S-45-30
PD-694	BIO	FW	JOHNSON SWAMP AT S-45-30
PD-170	W/INT	FW*	BLACK RIVER AT SC 51, 11.6MI NE OF ANDREWS
RS-03353	W/RS03	FW	Greens Creek at S-22-318 (Johnson Rd), 7.7 mi NW of
GEORGETOWN			
PD-325	P/INT	SA	BLACK RIVER AT S-22-489 4 MI NE OF GEORGETOWN

Black River – There are three SCDHEC monitoring sites along this lowest section of the Black River, and recreational uses are fully supported at all sites. This is a blackwater system, characterized by naturally low pH and dissolved oxygen concentration conditions. At the upstream site (**PD-359**), aquatic life uses are fully supported. Although dissolved oxygen

excursions occurred, they were typical of values seen in blackwater systems and were considered natural, not standards violations. A significant decreasing trend in five-day biochemical oxygen demand suggests improving conditions for this parameter.

At the midstream site (*PD-170*), aquatic life uses are not supported due to dissolved oxygen excursions and occurrences of copper in excess of the aquatic life acute criterion, which is compounded by a significant decreasing trend in dissolved oxygen concentration. There is also a significant increasing trend in total phosphorus concentration. There is a significant increasing trend in pH. Significant decreasing trends in five-day biochemical oxygen demand and total nitrogen concentration suggest improving conditions for these parameters. DDE (a metabolite of DDT) was detected in the 1999 sediment sample, and a very high concentration of cadmium and a high concentration of zinc were measured in the 2002 sample. In the 2003 sediment sample, DDE was detected, and very high concentrations of cadmium and lead were measured. Although the use of DDT was banned in 1973, it is very persistent in the environment.

At the downstream site (*PD-325*), aquatic life uses are partially supported due to dissolved oxygen excursions, which are compounded by a significant decreasing trend in dissolved oxygen concentration. Although pH excursions occurred, they were typical of values seen in blackwater systems and were considered natural, not standards violations. There is a significant increasing trend in pH. Significant decreasing trends in five-day biochemical oxygen demand and total nitrogen concentration suggest improving conditions for these parameters.

Burch Creek (PD-698) - Aquatic life uses are fully supported based on macroinvertebrate community data.

Johnson Swamp (PD-694) - Aquatic life uses are fully supported based on macroinvertebrate community data.

Greens Creek (RS-03353) – This is a blackwater system, characterized by naturally low pH and dissolved oxygen conditions. Although pH and dissolved oxygen excursions occurred, they were typical of values seen in blackwater systems and were considered natural, not standards violations.

Aquatic life uses are fully supported, but recreational uses are partially supported due to fecal coliform bacteria excursions.

A fish consumption advisory has been issued by the Department for mercury and includes the **Black River** within this watershed (see advisory p.72).

Groundwater Quality

Well #	<u>Class</u>	<u>Aquifer</u>	Location
AMB-011	GB	BLACK CREEK	ANDREWS #2

Groundwater Quantity

Portions of this watershed fall within the Waccamaw Capacity Use Area and large groundwater uses must be reported (see Capacity Use Program p.27).

NPDES Program

Active NPDES Facilities

RECEIVING STREAM
FACILITY NAME
PERMITTED FLOW @ PIPE (MGD)

NPDES#
TYPE
COMMENT

BLACK RIVER SC0029505

GCW&SD/WEDGEFIELD PLANTATION MINOR DOMESTIC

PIPE #: 001 FLOW: 0.4

BLACK RIVER SCG730650

BMCO CONSTRUCTION, INC./WHEELER PIT MINOR DOMESTIC

PIPE #: 001 FLOW: M/R

BLACK RIVER SCG730419

BMCO CONSTRUCTION, INC./WHEELER PIT MINOR INDUSTRIAL

PIPE #: 001 FLOW: M/R

INDIAN HUT SWAMP TRIBUTARY SCG730006

STONE CONSTRUCTION CO./ANDREWS MINE MINOR INDUSTRIAL

PIPE #: 001 FLOW: M/R

INDIAN HUT SWAMP TRIBUTARY SC0046582

INTERNATIONAL PAPER, INC./SAMPIT LUMBER MILL MINOR INDUSTRIAL

PIPE #: 001 FLOW: 0.34

JOHNSONS SWAMP SC0001619

TREBOL USA LLC MINOR INDUSTRIAL PIPE #: 001 FLOW: 0.213 (ELF ATOCHEM N. A.)

Nonpoint Source Management Program

Land Disposal Activities

Landfill Facilities

LANDFILL NAME PERMIT #
FACILITY TYPE STATUS

CM POWELL ------INDUSTRIAL CLOSED

GEORGETOWN COUNTY COMPOSTING 221001-3001 COMPOSTING ACTIVE

GEORGETOWN COUNTY 221001-1102 MUNICIPAL ACTIVE

GEORGETOWN COUNTY LANDFILL 221001-1101 MUNICIPAL CLOSED

GEORGETOWN SUBTITLE D LANDFILL	IWP-231
INDUSTRIAL	CLOSED
GEORGETOWN COUNTY C&D LANDFILL CONSTRUCTION	221001-1201 INACTIVE
GEORGETOWN COUNTY C&D LANDFILL	221001-1202
CONSTRUCTION	ACTIVE

Mining Activities

MINING COMPANY	PERMIT #
MINE NAME	MINERAL
STONE CONSTRUCTION CO.	0598-89
ANDREWS MINE	SAND
C-PIN INVESTMENTS, INC.	1685-43
C-PIN MINE	SAND/CLAY
MCKENZIE	1446-43
MCKENZIE MINE	SAND

Growth Potential

There is a low potential for growth in this watershed, which contains the Town of Andrews. Andrews has both water and sewer infrastructure and a rail line, which should allow low to moderate growth. Outside of the Andrews area, the watershed is rural with mostly agricultural and timberland uses. Water is available along most roads in the area, but there is no sewerage infrastructure. Transportation studies are analyzing the possibility of using S.C. Hwy. 701 as an alternate route to U.S. Hwy. 17. If this project is approved and completed, the area along S.C. Hwy. 701 will likely see a significant increase in residential and commercial development.